





CABO





PARTS LIBRARY

The Cabo aluminum extrusion profile system is an elegant and versatile solution for all of your display needs. Featuring a sleek silver anodized finish, the Cabo is the perfect solution for tradeshow booths, retail environments, pop up shops, or any place aluminum framing is needed. The profiles are available in standard 40mm and 80mm profile widths and in different shapes allowing you to turn your display vision into reality. Promote your company, new products, etc with custom dye sublimated fabric graphics. 12mm x 3mm silicone beading (SEG) is sewn around the perimeter of each fabric panel for easy installation and removal of your graphics. Choose from one of our pre designed configurations or contact us for a quote on something totally custom.






CABO PROFILES 40mm

PHOTO	SKU	DESCRIPTION
 A cross-sectional diagram of the CABO-40 square extrusion. It shows a square profile with a width of 40mm and a height of 40mm. The top flange has a thickness of 7.5mm. The internal structure features four system grooves, with a distance of 20.8mm between the centers of opposite grooves.	CABO-40	CABO Square Extrusion - 40mm - Standard 4 System Grooves 5.8m/19ft Long Sticks
 A cross-sectional diagram of the CABO-40-CRNR corner extrusion. It shows a square profile with a width of 40mm and a height of 40mm. The top flange has a thickness of 7.5mm. The internal structure features four system grooves, with a distance of 20.8mm between the centers of opposite grooves. Two SEG slots are located on two opposing corners.	CABO-40-CRNR	CABO Square Extrusion - 40mm - For Corner Upright SEG 4 System Grooves 2 SEG Slots on 2 Opposing Corners 5.8m/19ft Long Sticks
 A cross-sectional diagram of the CABO-40-ANGL connecting extrusion. It shows a square profile with a width of 40mm and a height of 40mm. The top flange has a thickness of 7.5mm. The internal structure features four system grooves, with a distance of 20.8mm between the centers of opposite grooves. The profile is designed for a 45-degree connection.	CABO-40-ANGL	CABO Connecting Extrusion - 40mm - 45° 2 System Grooves 5.8m/19ft Long Sticks
 A cross-sectional diagram of the CABO-40-H square extrusion. It shows a square profile with a width of 40mm and a height of 40mm. The top flange has a thickness of 7.5mm. The internal structure features four system grooves, with a distance of 20.8mm between the centers of opposite grooves. The profile has four SEG channels on two faces.	CABO-40-H	CABO Square Extrusion - 40mm 4 System Grooves 4 SEG Channels on 2 Faces 5.8m/19ft Long Sticks




CABO PROFILES 80mm

PHOTO	SKU	DESCRIPTION
	CABO-80	CABO Square Extrusion - 80mm - Standard 4 System Grooves 5.8m/19ft Long Sticks
	CABO-80-CRNR	CABO Square Extrusion - 80mm - For Corner Upright SEG 4 System Grooves 2 SEG Slots on 2 Opposing Corners 1 SEG Slot on Other Opposing Corners 5.8m/19ft Long Sticks
	CABO-80-ANGL	CABO Connecting Extrusion - 80mm - 45° 3 System Grooves 5.8m/19ft Long Sticks
	CABO-80-SEG-H	CABO Square Extrusion - 80mm 4 System Grooves 4 SEG Channels on 2 Faces 5.8m/19ft Long Sticks






CABO-80 ACCESSORIES

PHOTO	SKU	DESCRIPTION
	CABO-80-LOCK	Tension Lock for CABO-80 Profiles
	CABO-80-ADPT	Spit Connector for CABO-80 Profiles
	CABO-80-BP	Base Plate - CABO-80 15.75in L x 15.75in W x 4mm H
	CABO-80-CAP	Plastic End Cap - CABO-80
	CABO-FC	CABO Fixing Clip Used With CABO-FS To Attach CABO-SUS-EXT CABO-80 Only
	CABO-FS	CABO Fixing Set Used with CABO-FC To Attach CABO-SUS-EXT

CABO-80 ACCESSORIES

	CABO-RET	CABO Retainer To Attach CABO-SUS-EXT (CABO-80 Only)
	CABO-80-CRNR-CAP	Steel End Cap - CABO-80-CRNR
	CABO-80-ANGL-CAP	Plastic End Cap - CABO-80-ANGL


CABO-40 ACCESSORIES

PHOTO	SKU	DESCRIPTION
	CABO-40-LOCK	Tension Lock - CABO-40 Profiles
	CABO-40-ADPT	Spit Connector for CABO-40 Profiles
	CABO-40-FOOT	Adjustable Foot - CABO-40
	CABO-40-CAP	Plastic End Cap - CABO-40
	CABO-40-BP	Base Plate - CABO-40 15.75in L x 15.75in W x 4mm H
	CABO-40-CRNR-CAP	Steel End Cap - CABO-40-CRNR





CABO-40 ACCESSORIES

	CABO-40-ANGL-CAP	Plastic End Cap - CABO-80-ANGL
---	------------------	--------------------------------





TOOLS

PHOTO	SKU	DESCRIPTION
	CABO-TSCREWDRIVER	T Handle Screwdriver
	CABO-LTORX	L Shaped Torx Tool
	CABO-TTORX	T Shaped Torx Tool


UNIVERSAL ACCESSORIES

PHOTO	SKU	DESCRIPTION
	CABO-FOOT	Adjustable Foot - CABO-40/CABO-80
	CABO-CS	Corner Support for CABO-40/CABO-80
	CABO-SB	Simple Shelf Bracket (Single Bracket w/lock) - CABO-40/CABO-80
	CABO-DOOR	Door for CABO-40/CABO-80 Hinge is on right side & opens away Includes 2pc white PVC panels 720 x 902 x 3mm
	CABO-CS2	Corner Support for CABO-40/CABO-80

SEG PROFILES (ALL)

PHOTO	SKU	DESCRIPTION
	CABO-TRK-PL	CABO Double Sided Plastic SEG Track CABO-40 & CABO-80 2 vertical SEG channels side by side Clips Into System Groove of 40mm/80mm Square Extrusions 3m/9.8ft Long Sticks
	CABO-SUS-EXT	CABO - SEG Single Sided Suspension Aluminum SEG Extrusion CABO-80 Only Graphics Inline with Profile Edge 5.8m/19ft Long Sticks
	CABO-40-SEG	CABO Double Sided Aluminum SEG Extrusion CABO-40 Only Graphics Flush with Profile Edge 5.8m/19ft Long Sticks
	CABO-80-SEG	CABO Double Sided Aluminum SEG Extrusion CABO-80 Only Graphics Flush with Profile Edge 5.8m/19ft Long Sticks
	CABO-ANGLE-SEG	CABO - SEG Double Sided Angled Aluminum SEG Extrusion CABO-80 Only Graphics Are Angled From Profile Edge 5.8m/19ft Long Sticks
	CABO-SEG-PLASTIC	CABO Single Sided Plastic SEG Track CABO-40 & CABO-80 Graphics Inline with System Groove 3m/9.8ft Long Sticks

SEG PROFILES (CONT)

	CABO-HHS	Hammerhead Screw for CABO-40-SEG/CABO-80-SEG
---	----------	--