EZ Tube® CONNECT 20FT KIT A (5'X10'5')

PRODUCT CODE: EZCNCT-20KIT-A-5X10X5



On frame On graphic

acific Standard he Finest ⁱⁿWinery

PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube®®®®® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube®®®®® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube®®®®® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single- or double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

DISPLAY DIMENSIONS	240"W x 90"H x 18.75"D		
GRAPHIC SIZE 5FT	60.75"W x 89.5"H		
GRAPHIC SIZE 10FT	121"W x 89.5"H		
GRAPHIC SIZE MHC	62.375"W x 32.25"H		
GRAPHIC MATERIAL			
Stretch Fabric			
GRAPHIC FINISHING			
Sewn on left, right and top with zipper on the bottom			
DISPLAY CONSTRUCTION			
34mm Aluminum Tubing			

SHIPPING WEIGHTS & DIMENSIONS


Shipping Weight	53 lbs (frames and graphics - case 1)49 lbs (frames and graphics - case 2)		
Shipping Dimensions	22"W x 39"H x 17"D (each case)		
LARGE QUANTITY FREIGHT			
Freight Shipping	8 boxes per 48"L x 40"W x 43"H skid		
Freight Weight	408 lbs (frames & graphics)		
GRAPHIC TURN AROUND TIME			
2 business days after proof approval (up to 2 kits)			
AVAILABILI	TY Pacific Fulfillment Center		



Connecting Clip



Foot Dims 3 1'/8" x 18 3/4"




Double foot connection










EZ Tube[®] CONNECT 20FT KIT B (8'X4'X8')

PRODUCT CATEGORY: EZ FABRIC DISPLAY PRODUCT CODE: EZCNCT-20KIT-B-8X4X8









Single foot connection

Double foot connection

Foot Dims 3 1'/8" x 18 3/4" PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube®®®® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube®®®® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube®®®® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single- or double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

(Medium Hardcase Graphic optional)		
DISPLAY DIMENSIONS	240)"W x 90"H x 18.75"D
GRAPHIC SIZE 4FT	49"	W x 89.5"H
GRAPHIC SIZE 8FT	96.	5"W x 89.5"H
GRAPHIC SIZE MHC	62.	375"W x 32.25"H
GRAPHIC MATERIAL		
Stretch Fabric		
GRAPHIC FINISHING		
Sewn on left, right and top	o with	n zipper on the bottom
DISPLAY CONSTRUCTION		
34mm Aluminum Tubing		
SHIPPING WEIGHTS & DIMENSIONS		
		lbs (frames and graphics - case 1) lbs (frames and graphics - case 2)
Shipping Dimensions 22		'W x 39"H x 17"D (each case)
LARGE QUANTITY FREIGHT		
Freight Shipping	8 b	oxes per 48"L x 40"W x 43"H skid
Freight Weight	420	D lbs (frames & graphics - 4 sets)
GRAPHIC TURN AROUN	ND T	IME
2 business days after proof approval (up to 2 kits)		
AVAILABILITY		Pacific Fulfillment Center



Connecting Clip










(qty 4)

EZ Tube® CONNECT 20FT KIT C (5'X5'X5'X5')

PRODUCT CATEGORY: EZ FABRIC DISPLAYS PRODUCT CODE: EZCNCT-20KIT-C-5X5X5X5









Single foot connection

Double foot connection

Foot Dims 3 1'/8" x 18 3/4"

PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube®®® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube®®® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube®®® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single- or double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

(Medium Haldcase Graphic Optional)		
DISPLAY DIMENSIONS	240)"W x 90"H x 18.75"D
GRAPHIC SIZE STRAIGHT	60.	75"W x 88.5"H
GRAPHIC SIZE CURVED	60.	75"W x 89.5"H
GRAPHIC SIZE MHC	62.	375"W x 32.25"H
GRAPHIC MATERIAL		
Stretch Fabric		
GRAPHIC FINISHING		
Sewn on left, right and top with zipper on the bottom		
DISPLAY CONSTRUCTION		
34mm Aluminum Tubing		
SHIPPING WEIGHTS & DIMENSIONS		
Shipping Weight		lbs (frames & graphics - each case) ases total
Shipping Dimensions	22'	"W x 39"H x 17"D (each case)
LARGE QUANTITY FREIGHT		
Freight Shipping	8 b	oxes per 48"L x 40"W x 43"H skid
Freight Weight 424		4 lbs (frames & graphics - 4 sets)
GRAPHIC TURN AROUND TIME		
2 business days after proof approval (up to 2 kits)		
AVAILABILITY		Pacific Fulfillment Center




Connecting Clip









EZ Tube® CONNECT 20FT KIT D (5'X5'X5'X5')

PRODUCT CODE: EZCNCT-20KIT-D-5X5X5X5



On frame On graphic

PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube®® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube®® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube®® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single- or double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

1 I		·		
DISPLAY DIMENSIONS	240	"W x 90"H x 18.75"D		
GRAPHIC SIZE 5FT	60.7	75"W x 89.5"H		
GRAPHIC SIZE MHC	62.3	375"W x 32.25"H		
GRAPHIC MATERIAL				
Stretch Fabric				
GRAPHIC FINISHING				
Sewn on left, right and top with zipper on the bottom				
DISPLAY CONSTRUCTION				
34mm Aluminum Tubing				
SHIPPING WEIGHTS & DIMENSIONS				
		bs (frames & graphics - each case) ases total		
Shipping Dimensions 22'		W x 39"H x 17"D (each case)		
LARGE QUANTITY FREIGHT				
Freight Shipping 8 b		oxes per 48"L x 40"W x 43"H skid		
Freight Weight 424		lbs (frames & graphics - 4 sets)		
GRAPHIC TURN AROUND TIME				
2 business days after proof approval (up to 2 kits)				
AVAILABILI	TΥ	Pacific Fulfillment Center		



Connecting Clip








Includes qty 2 Medium Hard Case Case Inside Dimensions: 20.5"W x 32.5"H x 12"D










Single foot connection

Double foot connection

Foot Dims 3 1'/8" x 18 3/4"



Connecting Clip (qty 6)


EZ Tube® CONNECT 20FT KIT E (8'X4'8')

PRODUCT CODE: EZCNCT-20KIT-E-8X4X8











Single foot connection

Double foot connection

Foot Dims 3 1'/8" x 18 3/4"

PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize singleor double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

DISPLAY DIMENSIONS	240"W x 90"H x 18.75"D
GRAPHIC SIZE 4FT	49"W x 89.5"H
GRAPHIC SIZE 8FT	96.5"W x 89.5"H
GRAPHIC SIZE MHC	62.375"W x 32.25"H
GRAPHIC MATERIAL	
Stretch Fabric	

S

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	57 lbs (frames and graphics - case 1) 48 lbs (frames and graphics - case 2)		
Shipping Dimensions	22"W x 39"H x 17"D (each case)		
LARGE QUANTITY FREIGHT			
Freight Shipping	8 boxes per 48"L x 40"W x 43"H skid		
Freight Weight	420 lbs (frames & graphics)		
GRAPHIC TURN AROUND TIME			

2 business days after proof approval (up to 2 kits)

AVAILABILITY Pacific Fulfillment Center




Connecting Clip









Connecting Clip (qty 4)


EZ Tube[®] CONNECT 20FT KIT F (8'X4'8')

PRODUCT CATEGORY: EZ FABRIC DISPLAY PRODUCT CODE: EZCNCT-20KIT-F-8X4X8











Single foot connection

Double foot connection

Foot Dims 3 1'/8" x 18 3/4"

PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single-or double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

	DISPLAY DIMENSIONS	240"W x 90"H x 18.75"D			
	GRAPHIC SIZE 4FT	49"W x 89.5"H			
	GRAPHIC SIZE 8FT	96.5"W x 89.5"H			
	GRAPHIC SIZE MHC	62.375"W x 32.25"H			
	GRAPHIC MATERIAL				
	Stretch Fabric				
	GRAPHIC FINISHING Sewn on left, right and top with zipper on the bottom DISPLAY CONSTRUCTION				
	34mm Aluminum Tubing				
	SHIPPING WEIGHTS & DIMENSIONS				
	Shipping Weight	57 lbs (frames and graphics - case 1) 48 lbs (frames and graphics - case 2)			
	Shipping Dimensions	22"W x 39"H x 17"D (each case)			
	LARGE QUANTITY FREIGHT				
	Freight Shipping	8 boxes per 48"L x 40"W x 43"H skid			
	Freight Weight	420 lbs (frames & graphics)			
	GRAPHIC TURN AROUND TIME 2 business days after proof approval (up to 2 kits)				

AVAILABILITY Pacific Fulfillment Center



Connecting Clip







PARTS LIST Top cross bar-8ft straight Top cross bar-4ft straight Bottom cross bar-8ft Bottom cross bar-4ft (qty 2) (qty 2) (qty 1) (qty 1) 3 section 64" pole Bottom Cross Bar L Single Foot (34mm) Double Foot (34mm) shape connector (qty 6) (qty 2) (qty 2) (qty 6) Center Vertical pole-90" MHC Soft Bag 8ft Soft Bag 4ft (qty 1) (qty 2) (qty 2) (qty 1)



Connecting Clip (qty 4)


EZ Tube® CONNECT 20FT KIT G (5'X5'X5'X5')

PRODUCT CATEGORY: EZ FABRIC DISPLAYS PRODUCT CODE: EZCNCT-20KIT-G-5X5X5X5











Single foot connection

Double foot connection

Foot Dims 3 1'/8" x 18 3/4"

PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single-or double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

DISPLAY DIMENSIONS	240	"W x 90"H x 18.75"D	
GRAPHIC SIZE	60.7	75"W x 88.5"H	
GRAPHIC SIZE MHC	62.3	375"W x 32.25"H	
GRAPHIC MATERIAL			
Stretch Fabric			
GRAPHIC FINISHING			
Sewn on left, right and top	with	zipper on the bottom	
DISPLAY CONSTRUCTIO	N		
34mm Aluminum Tubing			
SHIPPING WEIGHTS & DIMENSIONS			
		bs (frames & graphics - each case) ases total	
Shipping Dimensions	22"	W x 39"H x 17"D (each case)	
LARGE QUANTITY FREIGHT			
Freight Shipping	ing 8 boxes per 48"L x 40"W x 43"H skid		
Freight Weight 424 lbs (frames & graphics - 4 sets)			
GRAPHIC TURN AROUND TIME			
2 business days after proof approval (up to 2 kits)			
AVAILABILI	TY	Pacific Fulfillment Center	



Connecting Clip









(qty 4)

EZ Tube® CONNECT 20FT KIT H (5'X5'X5'X5')

PRODUCT CATEGORY: EZ FABRIC DISPLAYS PRODUCT CODE: EZCNCT-20KIT-H-5X5X5X5







Single foot connection

Double foot connection

Foot Dims 3 1'/8" x 18 3/4" PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single-or double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

Graphic optional)				
DISPLAY DIMENSIONS	240"W x 90"H x 18.75"D			
GRAPHIC SIZE 5FT	60.75"W x 89.5"H			
GRAPHIC SIZE MHC	62.375"W x 32.25"H			
GRAPHIC MATERIAL				
Stretch Fabric				
GRAPHIC FINISHING				
Sewn on left, right and top with zipper on the bottom				
DISPLAY CONSTRUCTION				
34mm Aluminum Tubing				
SHIPPING WEIGHTS & DIMENSIONS				
Shipping Weight	53 lbs (frames & graphics - each case) 2 cases total			
Shipping Dimensions	22"W x 39"H x 17"D (each case)			
LARGE QUANTITY FREIGHT				
Freight Shipping	8 boxes per 48"L x 40"W x 43"H skid			
Freight Weight	424 lbs (frames & graphics - 4 sets)			
GRAPHIC TURN AROUND TIME				
2 business days after proof approval (up to 2 kits)				
AVAILABILI	ITY Pacific Fulfillment Center			




Connecting Clip










EZ Tube[®] CONNECT 20FT KIT I (8'X7'X8')

PRODUCT CODE: EZCNCT-20KIT-I-8X7X8








PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single-or double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

Graphic optional)				
DISPLAY DIMENSIONS	240)"W x 90"H x 18.75"D		
GRAPHIC SIZE 8FT	96.	5"W x 89.5"H		
GRAPHIC SIZE CIRCLE	74.2	25" W x 74.25" H		
GRAPHIC SIZE MHC	62.3	375"W x 32.25"H		
GRAPHIC MATERIAL				
Stretch Fabric				
GRAPHIC FINISHING				
Sewn on left, right and top with zipper on the bottom				
DISPLAY CONSTRUCTION				
34mm Aluminum Tubing				
SHIPPING WEIGHTS & DIMENSIONS				
Shipping Weight	52	lbs (frames, graphics, MHC) Case 1 lbs (frames, graphics, MHC) Case 2 lbs (frames, graphics, MHC) Case 3		
Shipping Dimensions	22"	W x 39"H x 17"D Each Case		
LARGE QUANTITY FREIGHT				
Freight Shipping	6 b	oxes per 48"L x 40"W x 43"H skid		
Freight Weight	288	3 lbs (2 sets)		
GRAPHIC TURN AROUND TIME				
2 business days after proof	арр	roval (up to 2 kits)		





Double foot connection







Includes qty 3 Medium Hard Case Case Inside Dimensions: 20.5"W x 32.5"H x 12"D

Foot Dims 3 1'/8" x 18 3/4"



(qty 3)

EZ Tube® CONNECT 20FT KIT J (4'X7'X4X7'X4')






On frame On graphic



PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize singleor double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

1 1 7			
DISPLAY DIMENSIONS	240"W x 90"H x 18.75"D		
GRAPHIC SIZE 4FT	49"W x 89.5"H		
GRAPHIC SIZE CIRCLE	74.25" W x 74.25" H		
GRAPHIC SIZE MHC	62.375"W x 32.25"H		
GRAPHIC MATERIAL			
Stretch Fabric			
GRAPHIC FINISHING			
Sewn on left, right and top with zipper on the bottom			
DISPLAY CONSTRUCTION			
34mm Aluminum Tubing			
SHIPPING WEIGHTS & DIMENSIONS			
Shipping Weight	74 lbs (frames, graphics, MHC) Case 1 57 lbs (frames, graphics, MHC) Case 2		
Shipping Dimensions	ng Dimensions 22"W x 39"H x 17"D (each case)		
GRAPHIC TURN AROUND TIME			
2 business days after proof approval (up to 2 kits)			
AVAILABILI	TY Pacific Fulfillment Center		
5	· · ·		





Single foot connection

Double foot connection








Includes qty 2 Medium Hard Case Case Inside Dimensions: 20.5"W x 32.5"H x 12"D

Foot Dims 3 1'/8" x 18 3/4"




(qty 2)

SETUP INSTRUCTIONS




SETUP INSTRUCTIONS



Use double foot and two connecting clips to connect frames side by side.

INSTRUCTIONS



INSTRUCTIONS

