



Product Features

The VAIL-120DB Onyx product line offers a sleek and durable solution for displaying your visuals. Crafted with a 120mm wide aluminum extrusion profile and finished in a striking black powder coat, this freestanding display exudes modern sophistication.

Designed for dye sublimated fabric graphics with silicone edge graphics (SEG), the VAIL-120DB ensures seamless edge-to-edge visuals that captivate your audience. Each display comes complete with all necessary tools for easy frame assembly, making setup quick and straightforward.

Available in a variety of standard sizes to meet your needs, the VAIL-120DB Onyx can also be customized to create a tailored presentation solution. Elevate your branding with this premium non-backlit display.



Specs

Display Details

- Display Dimensions: W (Varies) x H (Varies) x 12"D
- Width Range: 5ft to 10ft
- Height Range: 6ft to 10ft
- 120mm (4.7in.) Wide aluminum profile
- Black powder coat finish
- Freestanding display
- Double-sided Silicone Edge Graphics (SEG) displays
- Includes all required tools
- Available in standard and custom sizes

Graphic Information:

- Material: Stretch Fabric (FAB-STRETCH)
- Displays Silicone Edge Graphics (SEG)
- Print Process: Paper Transfer Dye Sub Printing
- Finishing: 12mm x 3mm Silicone keder sewn around graphic perimeter




VAIL-120DB PROFILE




SILICONE EDGE GRAPHICS

PARTS LIST



Frame Profiles
SKU: VAIL-120DB




Vail Triangle Corner Lock
SKU: VAIL-CRNR
(qty 4)




VAIL Foot 16" Black
SKU: VAIL-FT16120-BLK
(qty 2)
Foot Dims: 2" W x 16" L



Foot Hardware Kit
SKU: RESORT-FEET-HW
(qty 1 set)
Includes: 2 Bolts, 2 Washers,
and 2 Butterfly Nuts




VAIL Profile Split Connector
SKU: AF-CENTCON
For Frames 9 Ft & Wider/Taller
(qty 2) or (qty 4) Required



Support Strut Split Connector
SKU: ALPINE-42H-CENTCON
(qty 1) If Support Strut is 2 Pieces



VAIL Profile Split Connector
SKU: AF-CENTCON
For Frames 9 Ft & Wider/Taller
(qty 2) or (qty 4) Required



3mm Allen Key
SKU: ALLEN-3mm
(qty 1)




5mm Allen Key
SKU: ALLEN-5mm
(qty 1)




Star Tool
SKU: STAR-TOOL
(qty 1)


SETUP INSTRUCTIONS



1 TRIANGLE CORNER LOCK




2 SPLIT CONNECTOR*





*For frames 9ft and wider

3 VAIL BOTTOM FOOT



4 VERTICAL STRUT*




*For frames 9ft and wider

GRAPHIC INSTALLATION



a. Locate the silicone edge beading, which is sewn onto the back of the perimeter of the graphic.




b. Insert the silicone edge beading into the silicone channel, starting at the corner.



c. At counter clockwise, continue to insert the silicone edge beading at each corner into the silicone channel.



d. Then push down from the middle.



e. Work your way toward the finished corners.



f. Repeat by installing the rest of the graphic counter clockwise. Complete graphic installation.